

... . . . P R O D U C T D A T A S H E E T ... . . .

## FOVAC<sup>®</sup> PPS PENETRATING SPRAY

### DESCRIPTION

**FOVAC<sup>®</sup> PPS Penetrating Spray** is a synthetic, food grade, non-toxic, water displacing, corrosion prevention penetrating spray for food, beverage, pharmaceutical and other clean industries. It provides excellent penetration of rust, scale, grim, grease, oil and will leave a protective film once applied for added protection and to combat corrosion.

**FOVAC<sup>®</sup> PPS** penetrates into seized nuts and bolts to free them and lubricates them as well. It is ideal for use removing moisture from equipment, electronics and lubricates bearings, chains and other open lubrication points. It's strong penetrating action and ability to drive out moisture makes it an excellent release agent and an effective lubricant for use on open lubrication points.

**FOVAC<sup>®</sup> PPS** is an effective cleaner, it is also used to remove grease, carbon, soils, and other stain from food machinery.

**FOVAC<sup>®</sup> PPS** is use on all food processing equipment directly exposed to food products including scales, fans, rusted lugs, carts, galleys, bottlers, chutes, conveyors, racks, bottlers, ovens, stoves, fillers, mixers, freezers, rails and cooking appliances

**NSF Registration Number : 168894**


**U.S. FDA No. 21 (CFR) 178.3570, Kosher Certified & Registered, U.S Department of Agriculture Class H1, Halal Certified & Approved**

### FEATURES

- NSF H1 Registered. Safe for use on all types of food processing equipment
- Eases disassembly of mechanical equipment, fittings, and fixtures
- Lubricates moving parts
- H1 Food grade certified with high viscosity index
- Cleans and degrease
- Wide operating temperature range -30°C to + 120°C
- Protects against Rust and corrosion
- Removes moisture and water
- Non-toxic, odorless and tasteless
- Allergen, MOSH and MOAH free
- Halal Approved requirements under Islamic laws

### SPECIFICATIONS

Appearance	Clear yellow
Specific gravity	0.88
Shell 4 ball Scar diameter, mm	0.42
Viscosity @ 40°C	14
Timken OK. Load (lbs. min)	100+
USDA Rating	H1
Rust Test	Pass
Copper Strip Corrosion Test	1b



*\*Note : All ingredients are FDA listed and meets the USDA 1998 H1 Guidelines.*

*This product does not contain any genetically modified ingredients and also any nut oil or derivatives*

### PACKING

**FOVAC<sup>®</sup> PPS** is available in 400ml aerosol cans, 20 liters pail and 200 liters drum

... . . .

Approvals By: ... . . .

*The foregoing technical information and recommendations are compiled from sources that are believed to be accurate and reliable. However, they are supplied without warranty or guarantee of any kind either expressed or implied. The purchaser is responsible for selecting and determining the suitability of products for purchaser's particular needs and we disclaim any responsibility for improper applications or misuse of our products in any manner whatsoever.*



Nonfood Compounds  
(Category Code H1)

